

PRODUCT INTRODUCTION

产品简介

PE颚式破碎机是一种广泛用于抗压强度320兆帕以下的各种物料的粗碎、中碎作业。工作原理主要是通过动颚板和定颚板之间的周期性往复运动对材料进行挤压和破碎。根据破碎的粒度又可分为PE颚式破碎机和PEX细颚式破碎机。

Jaw crusher is widely used for coarse and medium crushing of various materials with compressive strength below 320 MPa. The working principle is mainly to squeeze and crush the materials through the periodic reciprocating motion between the movable jaw plate and the fixed jaw plate.

According to the crushed particle size, it can be divided into PE jaw crusher and PEX fine jaw crusher.

PRODUCTADVANTAGEA



产品优势


优势一 颚式破碎机零件均采用优质制造材料,提高了零件的耐压性和耐磨性; 颚板由高锰钢制成,偏心轴由40Cr制成;从而提高零件的可靠性,使其高效耐用。 The jaw crusher parts are all made of high-quality manufacturing materials, which improves the pressure resistance and wear resistance of the parts. The jaw plate is made of high manganese steel and the eccentric shaft is made of 40Cr. This improves the reliability of the parts and makes them efficient and durable.

优势二 破碎腔深且无死区,可以提高碎石给料能力和产量,同时其破碎比大,产品粒度均匀,满足多种加工需求。

Deep and there is no dead zone, which can improve the feeding capacity and output of crushed stone. At the same time, its crushing ratio is large and the product particle size is uniform, which can meet a variety of processing needs.

优势三 颚式破碎机的排料口调整范围大,设备结构合理,占地面积小,可以在有限空间内发挥大的作用。

The adjustment range of the discharge port of the jaw crusher is large, the equipment structure is reasonable, and the footprint is small, which can play a large role in the limited space.



WORKING PRINCIPLE

颚式破碎机的工作原理是基于活动颚的往复运动,当材料进入颚之间的区域时,活动颚会压缩并压碎活动颚与固定颚之间的岩石或矿石。所需的岩石尺寸由颚之间 的间隙决定。

The working principle of jaw crushers is based on the reciprocating movement of the movable jaw that compresses and crushes the rock or ore between itself and the fixed jaw, as the material enters the zone between the jaws. The required rock size is determined by the gap between the jaws.



TECHNICAL PARAMETER

技术参数

型号 Model	进料口尺寸 Feed Opening Size(mm)	最大给料尺寸 Max Feeding Size (mm)	出料口调节范围 Outlet Adjusting Range (mm)	生产能力 Capacity (t/h)	电动机功率 Power (kw)	外形尺寸 Overall Dimension (mm)
PE250×400	250×400	210	25-60	5-20	15	1215×1240×1210
PE400×600	400×600	350	40-90	15-60	30	1700×1750×1680
PE500×750	500×750	425	50-100	40-130	45	2150×1900×1950
PE600×900	600×900	500	60-125	90-180	55	2500×2010×2350
PE750×1060	750×1060	630	60-150	110-380	110	2630×2310×3110
PE900×1200	900×1200	750	95-165	220-550	132	3720×2850×3250
PE1200×1500	1200×1500	1020	150-300	400-900	220	4600×3350×4100
PE1500×1800	1500×1800	1200	210-360	520-1100	280	5100×4700×4300
PEX150×750	150×750	120	10-40	5-16	15	1310×1118×1145
PEX250×750	250×750	210	15-50	15-30	22	1440×1751×1515
PEX250×1000	250×1000	210	15-60	15-52	30	1730×1950×1400
PEX250×1200	250×1200	210	15-60	25-80	37	1730×2150×1400
PEX300×1300	300×1300	250	25-60	30-105	55	2000×2320×1730

注:技术参数如有变动,恕不另行通知。 Note: Any changes of technical parameters, there is no further notice.









CUSTOMER WORKSITE

客户现场

专注矿山机械二十年, 佰辰重工为上千家客户提供了 专业项目指导、设备生产、生产线建设及管理运营等 产品服务,与他们共同证明中国矿机品牌的力量。

Focusing on mining machinery for 20 years, Baichy has provided professional project guidance, equipment production, production line construction, management and operation products and services to thousands of customers, and jointly proved with them the power of China's mining machinery brand.









出口超150+个国家

BAICHY exports to more than 150 countries



Mohi	P Cri	ısher	Plant	ł

Jaw Crusher

C Series Jaw Crusher

PEX Fine Jaw Crusher

Impact Crusher

CI Series Impact Crusher

Symons Cone Crusher

Spring Cone Crusher

Hydraulic Cone Crusher

CH Cone Crusher

Heavy Hammer Crusher

Small Jaw Crusher Vibrating Feeder

Belt Conveyor

Trommel Screen

YK Vibrating Screen

Vertical Shaft Impact Crusher

High-efficiency Fine Crusher

Double Roller Crusher

Two-stage Crusher

Vertical Compound Crusher

Reversible Hammer Crusher

Hammer Crusher Dewatering Screen

Linear Vibrating Screen

Wheel Sand Washing Machine

Screw Sand Washer

Sand Recycling Machine

Raymond Mill

YGM High Pressure Grinding Mill

MTW Trapezium Grinding Mill

Vertical Roller Mill

HGM Micro-powder Grinding Mill

Ball Mill

Cement Ball Mill Ceramic Ball mill

Three-cylinder Dryer

Single Cylinder Dryer

DMC Pulse Dust Collector

Powder Classifier

Bucket Elevator

Vibrating Feeder

Screw Conveyor

Three-cylinder Dryer

Single Cylinder Dryer

Flotation Machine

Spiral Classifier

Gold Concentrator

Magnetic Separator

Agitator

Wet Pan Mill

Shaking Table

Spiral Chute

Tel: +86-371-86555722 | Web: www.baichy.com / www.baichychina.com | Email: hnbc@baichy.com / bcmining@baichy.com